





Experts in Manufacturing Cleaning & Safety Equipment

2012





HBC UK Headquarters t +44 (0)17 4786 0494

- f +44 (0)17 4786 0137
- e info@hillbrush.com Woodlands Road, Mere Wiltshire BA12 6BS, England www.hillbrush.com

HBC UK Sales

- t +44 (0)17 4786 1766
- f +44 (0)17 4786 1767
- e sales@hillbrush.com www.hillbrush.com


HBC USA

- t +1 410-325-7000
- **f** +1 410-325-6477
- e info@hillbrushinc.com www.hillbrushinc.com

HBC Eastern Europe

- t +48 41 332 2190
- **f** +48 41 346 1221
- e info@hillbrush-ee.com www.hillbrush-ee.com





This year we are celebrating our 90th anniversary which represents an important milestone for the company. We have continued over the years to maintain our quality and remain a British based manufacturing business.

We would like to thank all our customers who have shown such strong support in 2011 and the many years previous to this, our success would be impossible without you.

Our range of products continues to evolve and expand as we invest more time and effort into Research & Development and the Marketing of our products.

Please always remember that we have the capabilities of manufacturing products to customer ideas and designs if required.

From everyone at HBC, we wish you all the very best success





Philip Coward, Managing Director

CARRIAGE CHARGES 2012 (UK MAINLAND)

£1 - £50 = £20 carriage, £51 - £274 = £15 carriage, £275+ = FREE carriage For carriage paid terms see page 103









CONTENTS


	OCHILITIO	
@	Online Account Easy step by step guide to registering and login	4
	Boxed to Go Packaged brushware for retailers	7
	Agriculture & Industrial Durable and high quality traditional brushware	10
	Contract Tough products at value prices	24
	Woodlands Gardening Our finest gardening equipment	28
	Household Cleaning equipment for the home & kitchen	32
	Window Cleaning Professional window cleaning systems	40
	Transport Cleaning equipment for vehicles & commercial use	42
	Food & Beverage Safety Innovation ULTIMATE - Tools for safety and complete peace of mind	46
	Food & Beverage PROFESSIONAL - Tools for large scale production areas	55
	Kitchens & Restaurants PREMIER - Lightweight tools ideal for kitchens & restaurants	76
	Janitorial Janitorial & industrial cleaning equipment	79
	Decorating & DIY Paint brushes & preparation equipment	91
	ZU Essential gourmet accessories	95
?	Technical Support Brush care, materials & marketing support	96
	Full Index	100

Product key, code Index & terms & conditions

SAVE 1% on all online orders!

Login to your online account today

It's easy...



Welcome to your online account

· Hace a new order


Account Selences
 Carrent Transactions
 Substantina Sofers
 Distantina Defect Lines
 Savet Seakets
 Eroducts Facultated

Δ

boxes shown to access account information and place your orders.

User Homepage

Saving your business time and money



Managing your account is simple and efficient...

Using our secure online account service our customers can place orders and manage their account at any time of the day or night.

1% Saver System... Saving your business 1% on everything when placing orders online!

Once logged in, account customers can place orders easily and efficiently. The 1% saver system is in place for account customers ordering online with all discount pricing shown on your account. Make your choices online, place you order and it will show with a 1% saving at checkout and on your invoices. Save order baskets for future reference or use our quick ordering system. All Internet orders are automatically processed with an email acknowledgement by return.

View any **Outstanding Orders**, **Account Statements**, **Credit Notes** and your **Invoice History** all at the touch of a button.

Our Management Information System enables our customers to access real time data to help manage your purchasing and budgetary control, saving both time and money.

Let us help

If you are having problems setting up your account, accessing information or placing orders online, contact us. Your dedicated Customer Sales Adviser can help you over the phone. Alternatively send us an email and we will come back to you at your convenience.

We are always happy to talk to you and discuss orders over the phone and advise you on prior purchases.

Expert Product Knowledge


The level of product advice, technical training and supplier support available to help our customers make informed choices is second to none. Please let us know if you require one of our representatives to visit you and discuss the products, merchandising and further marketing assistance for your websites and your literature.


Our **e-brochures** are available online to help you with product choices or call if you wish to receive further printed copies. This provides you with page turning options and PDF downloads to make things easy.

Ordering made easy through our website, e-mail, fax and calling direct to our head office.

www.hillbrush.com email sales@hillbrush.com fax +44 (0)17 4786 1767 tel +44 (0)17 4786 1766

Environmental responsibility Environmental commitment





- HBC has a FSC® (Forest Stewardship Council) Chain of Custody certification (TT-COC-001562) for wooden brush backs and other wooden products. This means that the raw material to produce these wooden parts can be traced back to an FSC certified forest. The non-FSC timber used by the company comes from managed forests or suppliers with other sustainable timber schemes (such as the German PEFC™ scheme).
- We encourage our customers where possible to change from buying brushes with fitted handles to threaded handles. Packaging is much smaller, reducing transport costs and carbon emissions.
- HBC strives to use a minimal amount of packaging materials and complies with all EPA (Environmental Protection Agency) packaging waste regulations. The weight of packaging per product is available on request.
- All plastic products manufactured by HBC comply with EPA (Environmental Protection Agency) recycling regulations.
- Energy and water consumption is a prime concern and air from our main extraction system is recycled back into the production building to reduce the loss of heat.
- HBC is committed to a policy which is sympathetic to environmental issues and strives to minimise adverse environmental impact at all stages of production and, where possible, we use environmentally harmonious components.
- The Company requires that all packaging received must be recycled.
- Our lighting in the main warehouse has been replaced with an ultra-efficient lighting system.



FSC* TT-C0C-001562





Boxed to Co

A range of good quality British made brushes that are sold attractively boxed ready for display

- All items in this range are barcoded
- Easy to assemble with threaded handles
- More convenient to transport large quantities of brushes

824



Boxed to Co

Deck Scrub

Union mix fill Size: 229mm

Handle: 1219 x 24mm



S104



Boxed to Co

Sweeping Broom

Blue 0.30mm PVC fill Lacquered stock size: 267mm Handle: 1219 x 24mm





BOXED Brushes COMPLETE with **Threaded Handles**

174





Size: 254mm

1044



Boxed to Co

Sweeping Broom

Black coco fill Size: 305mm Handle: 1219 x 24mm



234



Boxed to Co

Broom

Bassine fill Size: 254mm Handle: 1219 x 24mm



P124



Boxed to Co

Yard Broom

Red 1.27mm PVC fill Flat top stock size: 330mm Handle: 1372 x 29mm



200



Boxed to Co

Broom

Bassine fill Size: 305mm

Handle: 1219 x 24mm



A424



Boxed to Co

Broom

Sherbro/polypropylene fill Size: 305mm Handle: 1219 x 24mm



A444



Boxed to Co

Yard Broom

Bass mix fill Size: 267mm Handle: 1372 x 29mm



M24



Boxed to Co

Yard Broom

Cane/bassine fill Lacquered stock size: 254mm Handle: 1219 x 24mm



PY24



Boxed to Co

Yard Broom

Green 0.63mm polypropylene fill Size: 254mm

Handle: 1219 x 24mm





B1736/12PK Boxed to Co

Threaded Steel Handled Broom

Synthetic fill (colours vary). Size: 279mm Overmoulded plastic backed Plastic coated steel handle: 1219mm

Pack of 12))))) 1





M2



Boxed to Co

Yard or Garden Broom

Cane/hassine fill Plain stock size: 254mm To fit handle: TH48/1





17



Boxed to Co

Broom Head

Natural coco fill Plain stock size: 254mm To fit handle: TH48/1



23



Boxed to Co

Broom Head

Bassine fill Plain stock size: 254mm To fit handle: TH48/1



3205



Boxed to Co

Replacement **Hearth Brush**

Black coco fill Plain wooden stock



TH48/1

Boxed to Co

Threaded Handle

Wooden

Size: 1219mm x 24mm



BC₁

Boxed to Co

RIO Sweeping Broom

Multi-coloured 0.50mm polypropylene fill Size: 300mm

To fit threaded handle: TH48/1





Attractive polypropylene fill in assorted colours, Packed in boxes

Boxed to Co

RIO Sweeping Broom complete with handle

Multi-coloured 0.50mm polypropylene fill Plain stock size: 300mm





BC5

Boxed to Co

RIO Banister Hand Brush

Multi-coloured 0.50mm polypropylene fill Size: 280mm





BC6

Boxed to Co

RIO Yard Broom

Multi-coloured 0.50mm polypropylene fill Size: 265mm To fit threaded handle: TH48/1



BC7

Boxed to Co

RIO Deck Scrub

Multi-coloured 0.50mm polypropylene fill Plain stock size: 230mm To fit threaded handle: TH48/1









-COLOURED FIBRE BRUSH



Durable & high quality traditional brushware

Salmon Traditional Quality brushware selected for the tough demands required in farming, building and maintenance.

Using natural fibres for their particular qualities such as Bahia for strength, Sherbro for durability, coco for softness and polypropylene fills for longevity.







A4

Yard Broom

Cane/bassine/broom grass mix Size: 263mm x 76mm Single hole to fit handle: 24mm





SE3

Yard Broom

Cane/bassine/broom grass mix Size: 267mm x 76mm Single hole to fit handle: 24mm









Yard Broom

Cane/hassine fill Size: 300mm x 85mm Single hole to fit handle: 24mm









B4/SH

Yard Broom

Cane/bassine fill Striped stock: 300mm x 85mm Single hole to fit handle: 24mm









Yard Broom

Cane/bassine fill Size: 330mm x 89mm Double hole to fit handle: 29mm







Yard Broom

Pure sherbro bass fill Stock: 330mm x 89mm with waxed ends Double hole to fit handle: 29mm









Yard Broom

Pure bahia bass fill Size: 300mm x 85mm Single hole to fit handle: 29mm





A42



Yard Broom

Pure bahia bass fill Stock: 330mm x 89mm with waxed ends Double hole to fit handle: 29mm











Yard Broom

Sherbro/cane/bassine/broom grass mix Stock: 267mm x 76mm with waxed ends Single hole to fit handle: 24mm







Yard Broom

Sherbro/green polypropylene fill Size: 300mm x 85mm Single hole to fit handle: 24mm







Yard Broom

Yard Broom



B25M

Yard Broom

Sherbro/brown polypropylene/cane fill Stock: 330mm x 89mm with waxed ends Double hole to fit handle: 29mm







BS4

Sherbro/brown polypropylene fill Stock: 330mm x 89mm with waxed ends Double hole to fit handle: 29mm











Yard Broom

Sherbro/brown polypropylene fill Stock: 330mm x 89mm with waxed ends Double hole to fit handle: 29mm







B25MFT



Sherbro/brown polypropylene/cane fill Flat top stock: 330mm x 89mm Staff hole & bolt holes to fit handle: 29mm







Agriculture & Industrial

P2

Plastic Filled Yard Broom

Black & White 0.76mm polypropylene fill Size: 267mm x 76mm To fit handle: 24mm





P3

Plastic Filled Yard Broom

Red 1.02mm PVC fill Size: 267mm x 76mm To fit handle: 24mm







P5

Plastic Filled Yard Broom

Black 1.27mm crimped polypropylene fill



Size: 330mm x 89mm Double hole to fit handle: 29mm









Plastic Filled Yard Broom

Blue 1.27mm polypropylene fill Size: 330mm x 89mm Double hole to fit handle: 29mm







P7

Plastic Filled Yard Broom

Coloured 1.27mm PVC/natural 1.27mm polypropylene fill Size: 330mm x 89mm

Double hole to fit handle: 29mm









Plastic Filled Yard Broom

Red 1.27mm polypropylene fill Size: 330mm x 89mm Double hole to fit handle: 29mm









Plastic Filled Yard Broom

Natural 1.27mm polypropylene fill Size: 330mm x 89mm Flat top stock with bolt holes To fit handle: 29mm







YZBW13

Plastic Filled Yard Broom

Black & natural 1.27mm polypropylene fill Size: 330 x 98mm



To fit handle: 29mm







Plastic Filled Yard Broom

Red 1.02mm polypropylene fill Size: 300 x 85mm To fit handle: 24mm









CURB1

Curb & Gutter Brush

Natural 1.27mm polypropylene fill Size: 179mm x 38mm Recycled plastic stock To fit handle: 24mm





YZT13

Plastic Filled Yard Broom

Red 1.02mm polypropylene fill Size: 330 x 98mm To fit handle: 29mm







ACCESSORIES

see pages 22-23

Clamps, sockets & handles



Flat Top Broom

Bassine fill Size: 305mm x 70mm To fit handle: 24mm





Flat Top Broom

Pure bahia fill Size: 305mm x 70mm To fit handle: 24mm









Flat Top Broom

Red 1.02mm PVC fill Size: 305mm x 64mm To fit handle: 24mm







Flat Top Channel Broom

Bahia mix fill Size: 610mm x 51mm Stock with bolt holes to fit handle: 29mm







LWR

Flat Top Broom

Natural 1.40mm polypropylene fill Size: 356mm x 57mm Stock with bolt holes to fit handle: 29mm







Socketed Broom

Blue 0.30mm PVC fill Size: 279mm x 64mm Lacquered stock to fit handles: STH3 or A48/1







24P

Socketed Broom

Red 0.65mm PVC fill Size: 279mm x 64mm

Lacquered stock to fit handles: STH3 or A48/1









Socketed Broom

Natural bassine fill Size: 305mm x 64mm To fit handles: STH3 or A48/1





Socketed Broom

Green 0.63mm PVC fill Size: 305mm x 64mm To fit handles: STH3 or A48/1











Plastic Sockets

To fit wooden handles: 24mm



Ready To Use Brooms

Brooms can be supplied fitted with the following handles at an extra charge per broom. Please add the following handle codes to the broom code. For example: 20PFA48/1

FA48/1	Fitted wooden handle: 1219mm x 24mm
FA48/2	Fitted wooden handle: 1219mm x 29mm
FA54/2	Fitted wooden handle: 1372mm x 29mm
FA60/2	Fitted wooden handle: 1524mm x 29mm
FTH48/1	Threaded fitted wooden handle: 1219mm x 24mr

FTH54/2W Threaded fitted wooden handle: 1372mm x 29mm

DS9



Deck Scrub

Union fill Flat wooden stock Size: 203mm To fit handle: 24mm





T+ 12

D94



Deck Scrub

Union fill Flat wooden stock Size: 152mm To fit handle: 24mm





17



Sweeping Broom

Natural coco fill Skived wooden stock Size: 254mm To fit handle: 24mm





RH8C

Sweeping Broom

Natural coco fill Red painted skived wooden stock Size: 305mm











23



Sweeping Broom

Bassine fill Skived wooden stock Size: 254mm To fit handle: 24mm







RHB25C

Sweeping Broom

Bassine fill Red painted skived wooden stock Size: 279mm To fit handle: 24mm







RHB28C



Sweeping Broom

Bassine fill Red painted skived wooden stock Size: 305mm

To fit handle: 24mm







KB1C



Sweeping Broom

Black coco fill Red painted skived wooden stock Size: 267mm To fit handle: 24mm









050BC



Sweeping Broom

Black coco fill Red painted skived wooden stock Size: 279mm

To fit handle: 24mm





105B



Sweeping Broom

Black coco fill Skived wooden stock Size: 305mm To fit handle: 24mm











Sweeping Broom

Blue 0.30mm PVC fill Lacquered skived wooden stock Size: 267mm To fit handle: 24mm



M2



Yard Broom

Cane/bassine fill Lacquered skived wooden stock Size: 254mm To fit handle: 24mm









Round Back Sweeping Broom

Natural coco fill Striped wooden stock Size: 305mm To fit handle: 24mm









Round Back Sweeping Broom

Flagged black coco fill Size: 305mm To fit handle: 24mm







Round Back Sweeping Broom E40



Black coco fill Red painted wooden stock Size: 305mm To fit handle: 24mm







E79

Sweeping Broom Bassine centre/black coco outer fill Size: 305mm

To fit handle: 24mm

Round Back







Round Back Sweeping Broom EA3



YZ111

Wooden stock Size: 305mm To fit handle: 24mm









Gumati fill



Sweeping Broom

Maroon 0.65mm polypropylene/ red 0.81mm PVC fill Waxed stock: 279mm To fit handle: 24mm







Sweeping Broom



Green 0.95mm PVC fill Waxed stock: 279mm To fit handle: 24mm



YZ711



Sweeping Broom

Bassine fill Waxed stock: 279mm To fit handle: 24mm





















Size: 330mm



TA8

Tar Brush

Black coco fill Domed wooden head

2 Staff holes at different angles to fit handle: 24mm







Neverclog Tar Brush

Bahia fill Size: 457mm To fit handle: 29mm







0.60mm Polyester fill astic back size: 305mm. To fit handle: ALH18









Floor Deck Scrub

Union fill Size: 229mm

To fit handle: TH48/1 (24mm)





More Waterflow Brushes see page 66



Deck Scrub

Natural 0.50mm polypropylene fill Size: 235mm





Flat Deck Scrub

Union fill Size: 203mm

To fit handles: A48/1 or TH48/1 (24mm)









Deck Scrub

Union fill Size: 152mm

To fit handles: A48/1 or TH48/1 (24mm)



D93WW

Deck Scrub

Union fill Size: 235mm

To fit handle: A48/1 (24mm)









Swivel Scrub with Universal Joint

0.60mm Polyester fill.

Plastic stock size: 197mm To fit handle: ALH7 (24mm)



ST11

Grout Scrub with Swivel Connector

0.60mm Polyester trimmed to a point. Plastic stock size: 240mm To fit handle: ALH7 (24mm)









Window Brush

Flagged black coco fill Wooden stock size: 235mm Specially angled hole to fit handle: 24mm







WB2

Window Brush Flagged PVC fill Lacquered wooden stock size: 152mm

To fit handle: 24mm. Boxed









Agriculture & Industrial

Fibre fill	Wear	Best sweeping conditions	Rating
Gumati	Hard	Dry concrete and similar	****
Bahia Bass	Hard	Roads and paths in dry or wet	****
Bahia Mix	Medium	Roads and paths in dry or wet	***
Natural Coco	Soft	Smooth dry conditions	**



Gumati **Platform Broom**

Size: 457mm To fit handle: 29mm



Gumati

Size: 610mm

H3/3

Bahia Bass Platform Broom

Size: 457mm To fit handle: 29mm 102



Bahia Bass Platform Broom

Size: 610mm To fit handle: 29mm 102



Gumati **Platform Broom**

Platform Broom

To fit handle: 29mm

89 Se 6

Size: 914mm To fit handle: 29mm





Bahia Bass Platform Broom

Size: 914mm To fit handle: 29mm





Bahia Mix Platform Broom

Size: 457mm To fit handle: 29mm





Natural Coco Platform Broom

Size: 457mm To fit handle: 29mm





Bahia Mix Platform Broom

Size: 610mm To fit handle: 29mm



H4/5

Natural Coco Platform Broom

Size: 610mm To fit handle: 29mm



Ready to Use Brooms Supplied with handles fitted see page 23



Natural Coco Platform Broom

Size: 914mm To fit handle: 29mm



Fibre fill	Wear	В	est sweeping conditio	ns	Rating
Natural Bassine	Medium	Dry, r	ough surfaces	**	
PVC	Medium	Wet c	or dry rough surfaces	**	₹
Polypropylene	Medium	Wet c	or dry rough surfaces	**	r
Broom Grass Mix	Medium	Mudo	dy and rough surfaces	**	₹
Black Coco	Soft	Smoo	oth dry surfaces	**	
H5/3	Natural Ba	assine	H9/3		Black Coco



Platform Broom

Size: 457mm To fit handle: 29mm





Platform Broom

Size: 457mm To fit handle: 29mm



Natural Bassine Platform Broom

Size: 610mm To fit handle: 29mm





Black Coco Platform Broom

Size: 610mm To fit handle: 29mm





Natural Bassine Platform Broom

Size: 914mm To fit handle: 29mm





Black Coco Platform Broom

Size: 914mm To fit handle: 29mm





Red PVC Platform Broom

0.81mm PVC fill Size: 457mm. To fit handle: 29mm





Red PVC Platform Broom 0.81mm PVC. Size: 610mm fill

To fit handle: 29mm





H8/3

Polypropylene/PVC **Platform Broom**

0.64mm Maroon PP/0.81 red PVC fill Size: 457mm. To fit handle: 29mm





H8/5

Polypropylene/PVC **Platform Broom**

0.64mm Maroon PP/0.81 red PVC fill Size: 610mm. To fit handle: 29mm





Broom/Grass Mix Platform Broom

Size: 457mm To fit handle: 29mm





Broom/Grass Mix Platform Broom

Size: 610mm To fit handle: 29mm



Fibre fill	Wear	Best sweeping conditions	Rating
Bassine Centre/ Coco Outer	Medium	Bassine centre removes rough material, coco outer traps dust	***
PVC	Medium	Wet or dry rough surfaces	***
Pure Bristle	Soft	Smooth, dry dusty surfaces	****



H12/3

Bassine/Coco **Platform Broom**

Size: 457mm To fit handle: 29mm







Bassine/Coco **Platform Broom**

Size: 610mm To fit handle: 29mm





Green PVC Platform Broom

0.95 PVC fill Size: 610mm. To fit handle: 29mm









Bassine/Coco **Platform Broom**

Size: 914mm To fit handle: 29mm







Pure Bristle Platform Broom

Tap in handle socket fitted. Size: 457mm To fit handle: 29mm. Boxed





Patio Platform Broom

Natural bassine/green PVC fill Size: 381mm To fit handle: 29mm















B2009



Patio Platform Broom

Green 0.95mm PVC fill Size: 381mm To fit handle: 29mm





Wooden Handle Size: 1219mm x 24mm
GNACE ZS
Wooden Handle Size: 1524mm x 24mm
A E
Wooden Handle Size: 1829mm x 24mm
A 25
Threaded Wooden Handle Size: 1219mm x 24mm
Threaded Wooden Handle
Threaded Wooden Handle Size: 1219mm x 24mm





Wooden Handle A48/1-PAL Size: 1219mm x 24mm

1800-2000

A54/2-PAL **Wooden Handle** Size: 1372mm x 29mm



A60/2-PAL

Wooden Handle Size: 1524mm x 29mm



STH3

Metal Broom Handle

Use with 'Tap in Handle' brushes - page 13 Painted steel Size: 1200mm x 21.5mm



W116

Metal Threaded Broom Handle

Use with 'Woodlands' brushes - page 30-31 or with other threaded wooden brushes Green steel. Size: 1200mm x 21mm



STH5

Telescopic Handle

Use with 'Tap in Handle' brushes - page 13 Ideal for in-vehicle storage Painted steel. Size: 750-1300mm x 21.5mm



HAN1352 **Aluminium Telescopic Handle**

Complete with swivel & taper connector Use with window cleaning equipment - page 41, cobweb brushes - page 34 and hygiene brooms Size: 1300-4000mm x 21.5mm





ALH8000 Aluminium Telescopic Handle

Complete with swivel & taper connector Use with window cleaning equipment - page 41, cobweb brushes - page 34 and hygiene brooms Size: 1300-4000mm x 21.5mm



BCL



Large Metal Clamp

For 89mm half round stocks To fit 29mm wooden handle



NO1S



Galvanised **Flat Top Socket**

To fit 29mm wooden handle



SNB₁



Galvanised Flat Top Socket

As NO1S with zinc plated wing nuts & bolts





Fitted Galvanised Flat Top Socket

As NO1S fitted to any broom



Fitted Galvanised Flat Top Socket

As SNB1 fitted to any broom

METAL CLAMPS & SOCKETS







Plastic Socket

With 4 screw holes & 2 bolt holes To fit 29mm wooden handles







Fitted Plastic Socket PLST5 fitted to any broom



PLST6

Plastic Socket

As PLST5 with 2 wing nuts & bolts To fit 29mm wooden handles



STYS1



With adjustable neck Size: 406mm



STYS2

Zinc Stay

Zinc plated Size: 279mm



Ready To Use Brooms

Brooms can be supplied fitted with the following handles at an extra charge per broom. Add the handle code below, to the brush code.

FA48/1	Fitted wooden handle: 1219mm x 24mm
FA48/2	Fitted wooden handle: 1219mm x 29mm
FA54/2	Fitted wooden handle: 1372mm x 29mm
FA60/2	Fitted wooden handle: 1524mm x 29mm
FTH48/1	Threaded fitted wooden handle: 1219mm x 24mm
ETHE 4 /2\M	Threaded fitted wooden handle: 1372mm v 20mm



Ready To Use Platform Brooms

Handles & stays (STYS2) fitted. Add to brush code

FHS48	Fitted wooden handle: 1219mm x 24mm
FHS54	Fitted wooden handle: 1219mm x 29mm
FHS	Fitted wooden handle: 1524mm x 29mm





Salmon traditional quality brushware

Manufactured for the tough demands of the building and maintenance industries





Broom

Natural coco fill Size: 254mm x 60mm Plain stock to fit handle: 24mm



10P

Broom

Natural bassine fill Size: 254mm x 60mm Plain stock to fit handle: 24mm







Broom

Natural coco fill Size: 292mm x 55mm Plain stock to fit handle: 24mm





Broom

Dved coco fill Size: 292mm x 55mm Plain stock to fit handle: 24mm





Broom

Natural bassine fill Size: 292mm x 55mm Plain stock to fit handle: 24mm





Broom

Natural coco fill Size: 305mm x 65mm Plain stock to fit handle: 24mm





Broom

Dved coco fill Size: 305mm x 65mm Plain stock to fit handle: 24mm





Broom

Natural bassine fill Size: 305mm x 65mm ain stock to fit handle: 24mm









Sweeping Broom

Green PVC fill Size: 280mm

Lacquered stock to fit handle: 24mm






Round Back Sweeping Broom

Cane/bassine fill Size: 305mm x 85mm









Flat Top Bass Broom

Cane/bassine fill Size: 330mm x 85mm Single hole to fit handle: 29mm





Round Back Bass Broom

Cane/bassine fill Size: 330mm x 85mm Double hole to fit handle: 29mm









Yard Broom

Bassine/red PVC mix fill Size: 254mm x 75mm To fit handle: 24mm







Yard Broom

Red PVC fill Size: 254mm x 75mm To fit handle: 24mm







BROOMS

Round Back Scavenger Broom

Brown 1.27mm PVC fill Size: 330mm x 89mm Double hole to fit handle: 29mm





114 **T+** 12

P21

P17

Flat Top Scavenger Broom



Black polypropylene fill Size: 330mm x 85mm Single hole to fit handle: 29mm



Ready To Use Brooms

Brooms can be supplied fitted with the following handles at an extra charge per broom. Add the handle code below, to the brush code.

For example: 25PFA48/1

FA48/1	Fitted wooden handle: 1219mm x 24mm
FA48/2	Fitted wooden handle: 1219mm x 29mm
FA54/2	Fitted wooden handle: 1372mm x 29mm
FA60/2	Fitted wooden handle: 1524mm x 29mm

H17/3

Platform Broom

Natural coco fill Size: 457mm x 64mm To fit handle: 29mm





H19/3

Platform Broom

Bassine fill Size: 457mm x 64mm To fit handle: 29mm







H17/5

PLATFORM BROOMS

Platform Broom

Natural coco fill Size: 610mm x 64mm To fit handle: 29mm





Platform Broom

Bassine fill Size: 610mm x 64mm To fit handle: 29mm









Platform Broom

Natural coco fill Size: 914mm x 70mm To fit handle: 29mm





H19/9

Platform Broom

Bassine fill Size: 914mm x 70mm To fit handle: 29mm







H33/3

Red 1.01mm PVC fill Size: 457mm x 64mm To fit handle: 29mm

Platform Broom





H33/5

Platform Broom

Red 1.01mm PVC fill Size: 610mm x 64mm To fit handle: 29mm







STYS3

Platform Stay

Zinc plated



Ready To Use Platform Brooms & Squeegees

Handles & stays (STYS2) fitted. Add to brush code

Fitted wooden handle: 1524mm x 29mm **FHUGS** FHUGS48 Fitted wooden handle: 1219mm x 29mm FHUGS54 Fitted wooden handle: 1272mm x 29mm

Wooden Saueegee

Size: 610mm

12

To fit handle: 29mm

Good for medium duty outside jobs





SQ24

For Fitted Wooden Handles - see page 26 Shovels & Buckets

SQ36 Wooden Squeegee Good for medium duty outside jobs Size: 914mm To fit handle: 29mm 12



Deck Scrub Bassine fill

Size: 229mm x 61mm To fit handle: 24mm





- see page 82

Deck Scrub

Union mix fill Size: 254mm x 60mm To fit handle: 24mm







W007

Banister Brush

Natural coco fill Size: 280mm Lacquered wooden stock





Scrub

Bassine fill Size: 203mm x 56mm





Banister Brush

Bassine fill Size: 280mm Lacquered wooden stock





Banister Brush Natural coco fill Size: 280mm Wooden stock

75 >**24**



Banister Brush

Dved coco fill Size: 280mm Plain wooden stock





Banister Brush

Bassine fill Size: 280mm Plain wooden stock











Finest gardening equipment

Salmon Traditional Quality brushware manufactured for the garden

Using natural fibres or dark green PVC fills with many of the brush backs having a lacquered finish.

Woodlands Stand Offer

A display stand for the Woodlands Range is available to customers purchasing items from this range. Please ask our sales team for further details.

The stand dimensions are: 2230mm H \times 1040mm W. The stand is supplied with all necessary hanging attachments and base shelf. It is possible to purchase a stand with hanging attachments, but without any products, please ask for details.



Traditional Delux Bootwiper

Pure Bahia fill Treated wooden handle



BW₁B

Replacement **Bottom Brush**

For BW1 Size: 260mm





Replacement Side Brush

For BW1. Size: 260mm





Boot Remover

Beige Plastic. Size: 330mm



KM25



Kneeling Mat

Bone shaped polythene Size: 381mm x 179mm



D₁BM







Bag Hoop

Lightweight polypropylene Easy tidving bin liner attachment



1

HH₂



Wall Bracket

For Bag Hoop (HH1)











Bag Hoop & Bracket Set



W007



Banister Brush

Natural coco fill Size: 280mm











Banister Brush Bassine fill

Size: 280mm







Banister Brush

Bassine fill Lacquered stock. Size: 280mm









Banister Brush

Natural coco fill Lacquered stock. Size: 280mm



W115



Banister Brush

Green PVC fill Lacquered stock. Size: 280mm











Hand Scrub

Union fill Lacquered stock. Size: 200mm







Hand Scrub

Bassine fill Size: 220mm





W103

Sweeping Broom

Green PVC fill Lacquered stock, Size: 280mm To fit all handles listed on page 31







W104 **Sweeping Broom**

Lacquered stock, Size: 280mm To fit all handles listed on page 31







Green PVC fill

W105

Sweeping Broom

Natural coco fill Lacquered stock. Size: 280mm To fit all handles listed on page 31







W106

Sweeping Broom Lacquered stock, Size: 280mm







Bassine fill

W109

Yard Broom

Bassine/cane mix fill Lacquered stock. Size: 250mm To fit all handles listed on page 31







W110

Yard Broom

Green PVC fill Lacquered stock. Size: 250mm To fit all handles listed on page 31









Yard Broom

Bassine/cane mix fill Lacquered stock. Size: 300mm To fit all handles listed on page 31







W112

Yard Broom Green PVC fill

Lacquered stock. Size: 300mm To fit all handles listed on page 31









Platform Broom

Green PVC fill Lacquered stock. Size: 450mm To fit all handles listed on page 31







Platform Broom W102 Natural coco fill

Lacquered stock, Size: 450mm To fit all handles listed on page 31











B2021

Deck Scrub

Union fill Lacquered stock. Size: 230mm To fit all handles listed on page 31





45 T+ 12

Threaded Handle Wooden with rubber hanger

Size: 1219mm x 24mm



B2022

Threaded Handle

Wooden with rubber hanger Size: 1372mm x 29mm









Sweeping Broom

Bassine fill

Size: 280mm. To fit handle: TH48/1





Yard Broom

Bass mix fill Size: 250mm. To fit handle: TH48/1









Yard Broom

Bass mix fill

Size: 300mm. To fit handle: TH48/1








W013

W011

Yard Broom Bass mix fill







W014



Size: 330mm. To fit handle: TH54/2






W015

Yard Broom

Black PVC fill









Sweeping Broom

Natural coco fill

Size: 330mm. To fit handle: TH48/1





Deck Scrub

Bassine fill

Size: 230mm. To fit handle: TH48/1





Platform Broom

Bassine fill

Size: 450mm. To fit handle: TH54/2



W006

Platform Broom

Bassine fill

Size: 600mm. To fit handle: TH54/2









Platform Broom

Natural coco fill

Size: 450mm. To fit handle: TH54/2









Platform Broom

Bassine fill

Size: 600mm. To fit handle: TH54/2





Patio Platform Broom





Bassine/green PVC fill

Size: 381mm. To fit handle: TH54/2W





B2009

Patio Platform Broom

Green 0.95mm PVC fill Size: 381mm. To fit handle: TH54/2W







Threaded Broom Handles

To fit threaded Woodlands brushware

W116	1200 x 21mm Green steel	12
TH48/1	1200 x 23.5mm Wood	25
TH54/2W	1370 x 28mm Wood	25
W118	1200 x 23.5mm Wood + hanging cap	12
W119	1370 x 28mm Wood + hanging cap	12





Domestic brushware & associated cleaning equipment

Salmon Traditional Quality brushware selected for the home

A wide range of products for numerous cleaning tasks such as: banister brushes, corn brooms, laundry brushes, carpet brushes, sink brushes, grippy scrubs, cobweb brushes, shoe brushes, hearth brushes, sink plungers and many more...









Round handled, plain wooden stock

Size: 179mm







Sweeping Broom

Gumati fill Plain wooden stock Size: 305mm



E31

Sweeping Broom Flagged black fibre fill Plain wooden stock Size: 305mm





Sweeping Broom

Flagged black fibre/white flagged PVC fill Lacquered wooden stock Size: 279mm







Sweeping Broom

Black coco fill Red wooden stock Size: 305mm





Sweeping Broom

Blue 0.30mm PVC fill Lacquered wooden stock Size: 279mm







Sweeping Broom

Red 0.65mm PVC fill Lacquered wooden stock Size: 279mm







Sweeping Broom

Pure black bristle fill Lacquered wooden stock Size: 305mm





CN₁



Corn Broom

With wooden handle Size: 1372mm



A48/1

Wooden Handle

Size: 1219mm x 24mm


STH3

Metal Handle

Painted steel Size: 1219mm x 24mm

25





Plastic handle Size: 356mm (635mm overall)



DOD2



Lambswool Duster

Wooden handle Size: 1016mm (1270mm overall)





DOD1

Feather Duster

Plastic handle Size: 406mm (584mm overall)



DOD4

Feather Duster

Plastic handle Size: 1041mm (1219mm overall)









Sink Brush

Union mix fill Waxed wooden stock Size: 241mm



LA1

Laundry Brush

Union mix fill Waxed wooden stock Size: 159mm







Scrubbing Brush

Union mix fill. Single wing Waxed wooden stock Size: 197mm





Scrubbing Brush

Union mix fill. Single wing Waxed wooden stock Size: 216mm





Scrubbing Brush Union mix fill. Double wing

Waxed wooden stock Size: 154mm





Scrubbing Brush

0.60mm Polyester fill. Double wing Coloured plastic stock. Size: 210mm





Grippy Scrub

0.60mm Polyester fill Coloured plastic stock. Size: 152mm





Scrubbing Brush

Union mix fill Waxed wooden stock Size: 197mm





Scrubbing Brush

Union mix fill. Single wing Plain wooden stock Size: 216mm





Bucket Brush 0.50mm Polypropylene fill. Size: 241mm Waxed wooden stock with hanging hole.







Radiator Brush

Pure bristle fill. Twisted-in-wire type Wooden handle Size: 285mm x 51mm Ø. Overall length: 483mm





Venetian Blind Duster

Acrylic fibre fill (assorted colours) Split head dust mop. To fit: HAN1352 Size: 432mm





Lacquered wooden stock







Shoe Brush

Pure black bristle fill for application







Rubber Hand Brush Ideal for removing pet hairs Boxed Size: 121mm





157BV







320S

Dyed coco fill Black painted wooden stock & handle Size: 51mm Ø



Hearth Refill



Hand Shovel Black painted steel blade Wooden handle Size: 460mm x 230mm





LA1P

Dyed coco fill Red painted wooden stock & handle Size: 345mm

Red plastic stock with integral grip

Natural 0.50mm polypropylene fill with extra wide face

Scottish Hearth Brush



Size: 152mm

12



Upholstery Scrub Mexican fibre fill with extra wide face Red plastic stock & integral grip Size: 152mm







Banister Brush

Upholstery Scrub

Red 0.65mm PVC fill Lacquered wooden stock Size: 152mm



NA₁

Spot Treatment Brush

Double sided Mexican fibre fill Wooden stock Size: 95mm








Kneeling Mat Bone shaped polythene Size: 381mm x 179mm









The first choice for window cleaning

Our PRO-WINDOW line of products provides you with the latest generation of professional glass cleaning tools.

- New standards in ergonomics & innovation
- Exceptional dirt pick up and easy rinsing
- Glides smoothly across the glass without leaving streaks
- Smart-lock technology for lightweight telescopic handles
- Safety-first approach
- Easy-Spring technology allows for practical replacement of the channel or rubber











Vehicle & Window Washing

Durable and well designed equipment for washing cars, vans, caravans, boats, domestic windows and conservatories.

Waterflow brushes make vehicle cleaning less time consuming, very efficient, and with telescopic handles, much easier.















Replacement head for PROWBMED Size: 245 x 90mm





W/STOP Hozelock Water Stop Connector To join ALH16/ALH18 to 12.5mm hosepipe

To join ALH16/ALH18 to 12.5mm hosepip










8625GB



Warning Sign CAUTION WINDOW CLEANING IN PROGRESS - ! (both sides) Size: 670mm





Benefit from both hygiene & efficiency

Salmon Hygiene Technology manufacture the most comprehensive and innovative line of manual cleaning tools for the food & beverage industry.

Technology and innovation that sets us apart:

- Three quality levels for the industry environment
- Totally colour-coded tools made from FDA-approved materials
- Durable, heat and chemical resistant
- Easy to clean with quick drying tools
- Versatile products designed to remove debris, deep scrub & remove water
- Ergonomic design to ensure correct working positions



Documentation

Our systems are designed to improve and raise the visibility of your internal hygiene control, support HACCP compliance, and make it easier to

maintain and document protocols for internal and external audits.

Our tools meet the stringent criteria of all the

regulatory authorities and comply with US and European legislation. We are members of the Professional Hygiene Brush Working Group. The PHB European charter exists to enable the purchasers of this type of product to be confident that they will be supplied with high quality professional brushware and further cleaning tools which comply with all existing hygiene regulations. The PHB Charter document can be supplied on request.



Safety options for the food & beverage industry









★★★★★ Plus ULTIMATE

Anti-Microbial Cleaning

Salmon Hygiene Technology continues to strive to provide innovative solutions for cleaning managers with regard to the ever-present threats of disease and contamination.

- Containing silver-ion technology
- The ultimate safety in cleaning
- All brushes are Resin-set as standard

The Technology... The Range uses silver based anti-microbial additive built into all plastic parts. Used together with standard cleaning procedures, it effectively inhibits the growth of a broad range of moulds, mildews and bacteria on the surface of the products themselves.

The combination of low migration rates and a high melting point makes it especially suitable for intensive use and high temperature environments.

Tested & Proven... The silver based anti-microbial additive has successfully been tested by the Department of Public Health at the University of Helsinki in Finland and received the U.S. EPA (environmental protection agency) registration (EPA Reg 40810-18).









*** Plus ULTIMATE

Resin-set Brushware

Most food manufacturing and catering areas, where the security of monofilaments is of particular importance, require Resin-Set brushware. Salmon Hygiene Technology has developed a very effective improvement in brush filament retention, where each tuft is stapled into the brush back with food grade stainless steel staples in the normal way, and then epoxy resin is floated into a recess on the face of the brush. The resin permeates the entire tuft hole, covering the filaments and staples as it goes. The resin seals the face of the brush and makes the chance of a filament pulling out extremely remote, and inhibits the accumulation of dirt or moisture in the tuft holes.

Leaders in Food Safety Innovation

- Designed for areas with high safety requirements such as Food Production Facilities
- Superior technology to **ALL** other methods
- Prevention of dirt, moisture and bacteria in the tuft holes
- · Assists in tuft retention
- Durable and easy to clean
- Total Colour Coding in 8 colours for segregation and HACCP
- Withstands high temperatures: 134°C/273°F
- The ultimate safety solution









★★★★★ Plus ULTIMATE

Metal Detectable & Dissipative

Contamination of food or pharmaceutical products can cost you time, money and your reputation. The metal detectable range has been specifically designed for these industries.

Tested & Proven...

All products listed in the Salmon Products® Metal Detectable Range have been independently tested by Mettler-Toledo Ltd, the leading manufacturer of metal detecting equipment. All products proved to be effective in both wet and dry conditions. The coloured plastic parts of the items in this range are detectable by metal detection machines and are food contact approved.

Dissipative qualities

Independent test results show that they are slow dissipative and the ESD (electrostatic discharge) was zero. Therefore the products are safe for use in flammable atmospheres with ignition energies down to 0.25 millijoules.









★★★★★ PROFESSIONAL


Professional hygiene tools manufactured for large scale food & beverage production facilities

- Supreme quality and durability
- · Innovative tools for problem areas
- Withstands high temperatures 134°C/273°F
- Total colour coding with a choice of up to eight colours for prevention of cross-contamination, segregation and HACCP











PROFESSIONAL Food & Beverage



Tube Brushes



The following brushes may be fitted with white polypropylene handles. Please add the suffix H to the code.



T831



Twisted-in Stainless Steel Wire Brush

0.30mm Polyester fill. Size: 305 x 13mm Ø



T832

AMALA MAIL



Twisted-in Stainless Steel Wire Brush

0.40mm Polyester fill. Size: 305 x 25mm Ø



T833



Twisted-in Stainless Steel Wire Brush

0.40mm Polyester fill. Size: 390 x 38mm Ø



T834



Twisted-in Stainless Steel Wire Brush

0.60mm Polyester fill. Size: 390 x 50mm Ø



T835



Twisted-in Stainless Steel Wire Brush

0.60mm Polyester fill. Size: 390 x 64mm Ø



T836



Twisted-in Stainless Steel Wire Brush

0.60mm Polyester fill. Size: 390 x 75mm Ø



T971



Twisted-in Stainless Steel Wire Brush

0.30mm Polvester fill. Size: 762 x 13mm Ø



T972



Twisted-in Stainless Steel Wire Brush

0.40mm Polyester fill. Size: 762 x 25mm Ø



T973



Twisted-in Stainless Steel Wire Brush

0.40mm Polyester fill. Size: 762 x 38mm Ø

T974



Twisted-in Stainless Steel Wire Brush

0.60mm Polyester fill. Size: 762 x 50mm Ø



T975




Twisted-in Stainless Steel Wire Brush

0.60mm Polyester fill. Size: 762 x 64mm Ø



T976



0.60mm Polyester fill. Size: 762 x 75mm Ø







T942



Flexi Handled Twisted Wire Brush

0.40mm Polyester fill Size: 3000 x 25mm Ø Acetal Rod





T945



Flexi Handled Twisted Wire Brush

0.60mm Polyester fill Size: 3000 x 64mm Ø Acetal Rod












Organisation and HACCP compliance

Totally colour coded hanger system available in 7 colours













Totally Colour Coded Squeegees

Single blade overmoulded squeegees available in 7 colours



























Automatic Shoe Cover Dispenser

Improves hygiene & cleanliness



Automatically fits over your shoes, no need to remove footware

- Ideally suited for safety inspectors and audit checks
- Impress customers with this easy to use innovation
- Easy to load, innovative design
- Comes complete with 110 covers
- Refills available including slip resistant covers
- Great for use in: Food Production, Factories, Hospitals, Hotels, Schools, Catering Units, Farms, Dairies, Boats and New Houses












★★★★ PREMIER

Ideal for Kitchens & Restaurants

- . Ergonomic tools that are lighter in weight, ideal for kitchens & restaurants
- Totally colour coded tools
- Withstands temperatures up to 134°C
- Total colour coding with a choice of 6 colours for prevention of cross-contamination, segregation and HACCP systems









Complete range of janitorial & industrial cleaning equipment

A wide range of products for numerous cleaning tasks such as: litterpickers, lobby pans, mops, cloths and many more...











Polypropylene Bucket

Capacity: 9 Litres

5

& Wringer on Wheels

Capacity: 25 Litres

Create your own sign

- · Make your sign safety specific
- · Add the wording and design of your choice
- · Produced with impact resistant polypropylene





Warning Sign Only

No wording or picture Height: 670mm



8614GB



Warning Sign 'CAUTION WET FLOOR'

Slipping man on both sides Height: 670mm



8615GB



Warning Sign 'CAUTION WET FLOOR'

Slipping man on one side, 'CLEANING IN PROGRESS - !' on the other side Height: 670mm



8619GB



Warning Sign 'CAUTION WET FLOOR -TRAILING CABLES'

Tripping man on one side & slipping man on the other side Height: 670mm



8617GB



Warning Sign 'CAUTION TRIP HAZARD'

Tripping man on both sides Height: 670mm



8621GB



Warning Sign 'CAUTION SLIPPERY SURFACE'

Slipping man on both sides Height: 670mm



8620GB



Warning Sign 'CLEANING IN PROGRESS'

'!' on both sides Height: 670mm



8625GB



Warning Sign 'CAUTION WINDOW CLEANING IN PROGRESS'

"' on both sides Height: 670mm





DRY MOPS

Flat mopping equipment gathers and traps fine dust quickly and gently leaving a dust free surface ready for mopping or polishing. Synthetic heads generate a static charge which attracts and holds dust, wear well and have a good resistance to washing; the cotton heads are cheaper and have good absorption characteristics, but do not wear as well. Both types may be laundered at 50°C.



65 8 6

MOP3/200



Looped Polyester Mop

Looped Polyester 'Hygiemix' Yarn Mop

Often used for applying polish. Coloured threaded socket, Bagged Weight: 200g

Complete with stay flat band. Superior wearing. wicking & absorption qualities than conventional yarn. Coloured threaded socket, Bagged Weight: 250g





Looped 'Hygiemix' **Kentucky Mop**

KMOP8/250 Super Absorbent **Kentucky Strip Mop**

Larger version of KMOP6/450 Weight: 560g Soaks up to 5 times its weight in water Keeps a clean white look and not liable to shrinkage. Launderable at 30°C Weight: 250g



CLIP NOT INCLUDED 30 10





MOP10/130

MOP5/250

Bio Mop

Soaks up to 5 times its weight in water Keeps a clean white look & not liable to shrinkage Launderable at 30°C



MOP9/200

KMOP7/560



Super Absorbent Strip Mop

Weight: 130g

KMOP4/450 **Blue Looped Polyester Kentucky Mop**

Looped 'Hygiemix' KMOP6/450 **Kentucky Mop** Complete with stay flat band & abrasive centre band for

Complete with stay flat band & abrasive centre band for stubborn marks. Extremely durable. Often used for applying polish. Bagged. Weight: 450g

The best available mop. Contains 'Biokryl PlusTM'

which inhibits fungal and bacterial growth.

Coloured threaded socket. Bagged

stubborn marks. Mix of cotton, viscose & polyester. Superior wearing, wicking & absorption qualities than conventional yarn. Reduced shrinkage. Bagged Weight: 450g

CLIP NOT INCLUDED



CLIP NOT INCLUDED 134 10



134

KMOP11/340



16KT

Standard Kentucky Mop

Looped multifold yarn Kentucky mop with stay flat band & cotton centre band Size: No 16



Bio Kentucky Mop

The best kentucky Mop. Similar to KMOP6/450 with the addvantage of 'Biokryl Plus™' which inhibits fungal and bacterial growth. Bagged. Weight: 340g

CLIP NOT INCLUDED 134







Standard Excel Mop

Pure yarn, fully launderable Coloured socket: 24mm

Size: 200g



Standard Excel Mop

Pure varn, fully launderable Coloured socket: 24mm

Size: 300g



MOP2/200



Standard Excel Mop

Twine, fully launderable Coloured socket: 24mm

Size: 200g



MOP2/300

MOP1/300


Standard Excel Mop

Twine, fully launderable Coloured socket: 24mm

Size: 300g



12PY



With metal socket for wooden handles: 24mm Size: No. 12



14PY

Economy Yarn Mop

With metal socket for wooden handles: 24mm Size: No. 14



16PY

Economy Yarn Mop

With metal socket for wooden handles: 24mm Size: No. 16





Economy Twine Mop

With metal socket for wooden handles: 24mm Size: No. 12



16C

Economy Twine Mop

With metal socket for wooden handles: 24mm Size: No. 16



Mop Weights Conversion Table

200g = No.12 Socket Mop • 450g = 16oz Kentucky Mop 250g = No.14 Socket Mop • 560g = 20oz Kentucky Mop 300g = No.16 Socket Mop



Aluminium Handle & Kentucky Mop Holder

Zinc plated holder. Coloured hand grip





ALH/CLIP2

Aluminium Handle & Kentucky Mop Holder

Coloured plastic holder







WH/CLIP4



Wooden Handle & **Kentucky Mop Holder** Zinc plated holder

Lacquered wood handle: 1372 x 29mm







Plastic Kentucky Mop Holder





PURE YARN is readily absorbant, TWINE for rougher surfaces

THREADED HANDLES

Wooden handle: A48/1 (Page 21) Aluminium Handles: ALH5, ALH7, ALH8 (pages 63)





Zinc Plated Kentucky Frame with Clip

Socket: 29mm





Teapot Spout Brush TPS₁ **D43** Small Tube Brush Bristle head size: 22-3.2mm Ø x 76mm Bristle head size: 4.8mm Ø x 64mm Length including handle: 216mm Length including handle: 356mm 10 10 SIM3 **Small Tube Brush D36N** Small Tube Brush Bristle head size: 6.4mm Ø x 64mm Nylon head size: 7.9mm Ø x 76mm Length including handle: 229mm Length including handle: 318mm 10 10 **AL5N3/8** Small Tube Brush AL51/2 Small Tube Brush Nylon head size: 9.5mm Ø x 95mm Bristle or nylon head size: 13mm Ø x 95mm Length including handle: 305mm Length including handle: 305mm 10 10 Small Tube Brush **Small Tube Brush** AL5LN **FUL8N** Nylon head size: 13mm Ø x 95mm Nylon head size: 22mm Ø x 114mm Length including handle: 432mm Length including handle: 356mm MANAGEMENT OF THE PARTY. TODOUGHOUS TO THE 10 10 **Tufted Small Tube Brush D38 D42 Tapered Small Tube Brush** Bristle or nylon head size: 31mm Ø x 127mm Bristle head size: 38-13mm Ø x 83mm Length including handle: 369mm Length including handle: 330mm 10 10 T548 **Tapered Small Tube Brush** T294 **Outlet Brush** Nylon head size: 38-19mm Ø x 114mm Nylon head size: 54mm Ø x 152mm Length including handle: 254mm Length including handle: 686mm THE SAME AND AND AND ADDRESS OF THE PARTY OF 10 10 **Tufted Small Tube Brush** T664 **FLEXIBLE TUBE BRUSHES** Nylon head size: 64mm Ø x 127mm

Length including handle: 381mm

10

(Pack size 1) Tube brushes with 3 metre white plastic rod - see page 62

STAINLESS STEEL WIRE TUBE BRUSHES see page 61

BB1 1/4 Pint Bottle Brush 1/2 Pint Bottle Brush **BB2** BRUSHES Nylon head size: 45mm Ø x 135mm Nylon head size: 50mm Ø x 120mm Length including handle: 305mm Length including handle: 380mm 10 10 BOTTLE 1 Pint Bottle Brush **BB3** 2 Pint Bottle Brush **BB4** Nylon head size: 60mm Ø x 160mm Nylon head size: 75mm Ø x 200mm Length including handle: 430mm Length including handle: 480mm 10 10 **Radiator Brush** T477 Bristle head size: 51mm Ø x 305mm Length including handle: 483mm 5 FLUE1/2 Flue Brush **Flue Brush FLUE3** FLUE BRUSHES Interoven type. Gumati head size: 51mm Ø x 152mm Interoven type. Gumati head size: 102mm Ø x 178mm Length including handle: 915mm Length including handle: 915mm 6 6 **Flue Brush** FLUE4 FLUE5 Flue Brush Gumati head size: 102mm Ø x 178mm Gumati head size: 102mm Ø x 178mm Length including handle: 1219mm Length including handle: 1524mm 6 6 **FLUE6** Flue Brush Bassine head size: 127mm Ø x 229mm Length including handle: 1677mm 6



Decorating & DIY

Brushware & accessories for decorators and DIY enthusiasts

P360 RANGE Pure black bristle, flat varnish brush. Kaiser black plastic handles, in wallet

P360/1/2 Superior Contractor Brush

Black bristle head size: 13mm (½") x 16mm Trim length: 56mm





P360/1

Superior Contractor Brush

Black bristle head size: 25mm (1") x 16mm Trim length: 56mm





P360/1.1/2 Superior Contractor Brush

Black bristle head size: 38mm (1½") x 16mm Trim length: 63mm





P360/2

Superior Contractor Brush

Black bristle head size: 51mm (2") x 19mm Trim length: 69mm



P360/3

Superior Contractor Brush

Black bristle head size: 76mm (3") x 22mm Trim length: 82mm





P360/4

Superior Contractor Brush

Black bristle head size: 102mm (4") x 22mm Trim length: 89mm



P240 RANGE Synthetic black filling, flat varnish brush. Blue plastic handles, in wallet

P240/1/2

Premier Paint Brush

Synthetic head size: 13mm (1/2") x 9mm Trim length: 44mm





Premier Paint Brush P240/1

Synthetic head size: 25mm (1") x 13mm Trim length: 51mm





Premier Paint Brush P240/1.1/2

Synthetic head size: 38mm (11/2") x 13mm Trim length: 51mm



P240/2

Premier Paint Brush

Synthetic head size: 51mm (2") x 14mm Trim length: 51mm



Premier Paint Brush P240/2.1/2

Synthetic head size: 63mm (21/2") x 16mm Trim length: 56mm



P240/3

Premier Paint Brush

Synthetic head size: 76mm (3") x 16mm Trim length: 63mm



P240/4

Premier Paint Brush

Synthetic head size: 102mm (4") x 19mm Trim length: 69mm



6

P514 RANGE Pure black bristle, matt black wooden handles

P514/1/2

Economy Paint Brush

Black bristle head size: 13mm (1/2") x 9mm Trim length: 38mm





P514/1

Economy Paint Brush

Black bristle head size: 25mm (1") x 13mm Trim length: 38mm



P514/1.1/2 **Economy Paint Brush**

Black bristle head size: 38mm (11/2") x 13mm Trim length: 38mm





P514/2

Economy Paint Brush

Black bristle head size: 51mm (2") x 13mm Trim length: 38mm





P514/3

Economy Paint Brush

Black bristle head size: 76mm (3") x 13mm Trim length: 47mm



P514/4

Economy Paint Brush

Black bristle head size: 102mm (4") x 13mm Trim length: 47mm



12

12

12

12

12

12

12

For LHS100

Pack quantity 10



12

For LHS150

Pack quantity 5

LHB100

Replacement 150mm blade

LHB150



Replacement 100mm blade







Essential tools for seafood connoisseurs

Breton Oyster Clamp The safe and easy way to open oysters...

A traditional French design made from selected beechwood, exceptionally strong and well finished. This clamp wedges the oyster securely allowing complete control during opening.

All the tools you'll need to eat shellfish... The Crustacean Kit contains essential equipment required to break and enter a large range of shellfish including Lobster, Crab and Prawns.

OYSTER1

Breton Oyster Clamp




The clamp is supplied with a high quality Sabatier oyster knife, detailed instructions & attractively boxed



CRUST1

Crustacean Kit





Brush Care and Maintenance

It is essential to maintain your hygienic tools to prolong their use and also to recognise when they need replacing. Hygiene is essential.

Proceedures for cleaning hygienic tools

- 1. Remove all visible dirt and any foreign objects. Use a Salmon Hygiene Technology brush with stiff filaments to do so.
- Clean the tool in a cleaning solution with a pH between 7.0-12.2. Alternatively clean in an industrial dishwasher (82°C/180°F).
- 3. Rinse with clean water.
- 4. If lime residues are formed on the tool after washing and use, these can be removed by washing in a cleaning solution with a pH between 7.0-12.2. Use a Salmon Hygiene Technology brush with stiff filaments to do so or clean in an industrial dishwasher (82°C/180°F).
- 5. Rinse with clean water.
- If required tools can be disinfected after washing with an approved disinfectant. Salmon Hygiene Technology products tolerate all approved disinfectants.
- Rinse with clean water to ensure the removal of any disinfectant residues on the tool before using it again for cleaning.
- Please note. If required, most Salmon Hygiene Technology products can be sterilised by autoclaving. Many products can be autoclaved at temperatures up to 134°C. Please check product details in our Hygiene & Food Safety catalogue or online: www.hillbrush.com
- 9. Place the tool to dry on a Salmon Hygiene Technology wall bracket system (shown on page 65).

Recognising when tools need replacing

- 1. When filaments are so entangled that particles can adhere to them.
- When filaments are so discoloured that after cleaning they do not regain their original colour and it is difficult to see where dirt is lying.
- When the brush back or plastic moulding is scratched or badly marked.
- 4. When the handle is broken or cracked
- When the filaments are worn or have been caught in something, increasing the risk of loose filaments.
- When your system specifies that the tool must be replaced after a suitable period or if there may be a risk to food hygiene.



Helping our Distribution Partners

CORPORATE DVD

This 10 minute film follows the growth of The Hill Brush Company over the past 90 years. There is vintage film demonstrating the traditional brush making craft mixed with today's innovative hygiene brushware. The DVD shows how the company has developed and responded to today's hygiene and food safety requirements; with innovation, expertise producing quality products that are durable and easy to use.

The DVD demonstrates the 3 levels of choice available within Salmon Hygiene Technology product line:

ULTIMATE: For use in high safety areas of food production.

- Anti-microbial Cleaning Tools
- Metal Detectable & Dissipative
- Resin Set Brushware

PROFESSIONAL: For use in large scale food production and factory environments.

PREMIER: For use in kitchens and restaurants.

The DVD can also be viewed online at the following link www.hillbrush.com or please call for your copy today



Demonstration Equipment

For those wishing to show samples of the Salmon Hygiene Technology products with maximum impact, an aluminium demonstration case is available. This contains a selection of items including seven brooms and hand brushes, a squeegee, a short handle and a hanger.

There are seven major colours represented but we do offer a range of eight on colour coded brush stocks so we can adapt it to customer requirements.

Marketing Support

Design & Merchandising

From product development to innovative display solutions, our experienced in-house design team offers a comprehensive service for all our customer's requirements. By using the most advanced technology and design programmes we are able to quickly and efficiently bring ideas to life.

Catalogues

There are many different versions of sales literature produced for individual product groups or for the complete HBC range. We are happy to provide our customers with sales literature which are available with distributor details for sales requirements.

Our Hygiene & Food Safety Catalogue is available in 18 languages:-

Version 1 - GB, D, F, NL

Version 2 - GB, NO, SV, FI

Version 3 - PL, RU, BG, CZ

Version 4 - GB, PT, FR, ES

Version 5 - US, PT, FR, ES Version 6 - GB, JP, IN, CN



Digital e-brochures

Ask us for the V-Cab links to use on your website free of charge. By using this page turning e-brochure option on your website you can quickly and easily demonstrate to your customers the product line available. Professional and easy to use. Use the link within your auto signature or send the file via email

Posters and Zone Stickers

There are many variations of posters available for customers to display a product range or just enhance the look of your show area!

Display Stands & Packaging

We have a range of display stands available to our customers, giving the products more presence and assisting in increased sales for your shop or showroom. We also have the capabilities to produce bespoke display options including pallet bins, counter top, floor standing, boxes and general packaging.

Roller-Banners

We also have the option of Roller-Banners for loaning to distributors exhibiting at shows around the world. We can send you the images of banners available at the time and once you've decided on the banner of your choice, we will send it out to you free of charge. Please note that these are loan items and come complete with a spotlight above for added impact.

Product images on DVD

We can also provide our customers with current product images (cut out and in high resolution) on DVD for your website and marketing literature. The DVD also includes 'action shots' from our catalogue and standard price lists.



Printing, Branding & Labelling

Type of marking	Plate/ Set up charge	Minimum order quantity	Marked during production Code
Hot brand wood (with available type)	NO	300	
Hot brand wood (with customer's brand)	YES	300	
Pad printing wood (up to 4 colours)	YES	300	PRINT/WSK
Pad printing plastic (up to 4 colours)	YES	300	PRINT/PSK
Label 76mm x 64mm	NO	300	LABEL76/64
Label 48mm x 24mm (bar code)	NO	300	LABEL48/24

Many of the items produced can be marked by hot branding, printing or labelling. There is a one-off charge for the production of special branding and printing plates, but hot branded names and numbers made up from available type blocks do not attract a set up charge.

The maximum brand area is 90mm x 65mm, and the maximum print area is 70mm x 70mm. Four colour printing is available.

The minimum order quantities shown above refer to the number of a particular shaped product base to be marked. This number could be made up of different products manufactured with the same shaped base, but with a minimum quantity per product of 60.

Most products are manufactured in large batches on a three month cycle, therefore customers requiring products to be marked during manufacture should ensure that orders are placed well in advance.

Most wooden stocks are made with hardwoods from professionally managed estates, where timber is felled under Licence and replanted.

Salmon Products® has an FSC chain of custody accreditation (TT/COC/1562) and is able to make FSC timber products and brushes to order.

Brush Filling Materials

THE COMPANY IS ABLE TO SUPPLY THE FIBRES DESCRIBED BELOW AND ALSO MAKES SPECIAL MIXTURES IF REQUIRED

VEGETABLE FIBRES

BAHIA PIASSAVA (BASS) from Brazil has unique wearing and sweeping qualities, is very resilient, holds water well, does not rot when damp and is very resistant to distortion. It is used in top quality dairy, industrial and platform brooms, and stiffer hand brushes. NATURAL BASSINE (PALMYRA) from India has fair sweeping qualities, but is not resilient and may distort in use, especially when wet. It is mainly used in cheaper warehouse brooms, in mixtures for scrubbing brushes and in cheaper household brushes and brooms.

DYED BASSINE (PALMYRA) from India has exactly the same properties as natural Bassine but is dyed.

CANE (PALMYRA STALKS) from India has average wearing and poor sweeping qualities, losing much of its stiffness when wet. It is largely used in Sherbro or Polypropylene mixtures for road and yard brooms.

CANE AND BASSINE MIXTURE from India is generally used where price is the main consideration, as it sweeps rather poorly, wears quickly and is unsatisfactory in wet conditions. It is sometimes referred to as "GRAPE" or "APPLE" mixture. This mixture is cheap, and is in no way comparable with Piassava Bass which is superior in every

BROOM GRASS from Lesotho has average wearing and sweeping qualities, and is satisfactory in wet conditions. Used in mixtures, it is suitable for lighter domestic and yard brooms.

GUMATI (ARENGA) from Indonesia is softer and finer than Bahia Bass, but has similar excellent wearing and sweeping qualities. It does not crush easily or rot, and is very hard wearing and resilient. Excellent for sweeping dry concrete and smoother floors, it is ideal in brushes for warehouses.

SHERBRO PIASSAVA (BASS) from Sierra

Leone has average wearing and sweeping qualities and does not crush or distort easily. It is mainly used in farm, road sweeping and factory brooms, and is often mixed with other materials to improve its wearing properties.

NATURAL COCO FIBRE (COIR) from Sri Lanka is a low cost material with average wearing and sweeping qualities. It is liable to crush and distort and tends to flatten. It is largely used in cheaper household and platform brooms. Sometimes it is mixed with Gumati or plastic fibres to improve its resilience. All Salmon Products natural coco is unbleached. From an environmental point of view we disapprove of the sulphur bleaching process which is only used to give the fibre a more golden colour.

BLACK COCO FIBRE (DYED COCO) from Sri Lanka has exactly the same properties as natural coco, but is dyed.

FLAGGED BLACK COCO is specially treated dyed Coco fibre where the ends have been flagged or split. It sweeps better than plain Coco fibre.

especially in drier dusty conditions, looks much more attractive and has a softer feel. The fibre is flagged at our factory.

MEXICAN TAMPICO has good wearing and reasonable sweeping qualities, but is liable to crush. It holds water very well and is used in better quality vehicle cleaning, wall brushes, equestrian brushes and for polishing wood.

MEXICAN WHISK (RICE ROOT) is a stiff naturally crimped fibre with good wearing qualities used in grooming brushes. This fibre tends to become brittle, and therefore it is advisable to soak the fibres before use.

VEGETABLE/SYNTHETIC MIXTURE

UNION MIXTURE is a Polypropylene-Bassine mixture, which has the water retaining properties of the Bassine and the wear and resilience of the Polypropylene. It is used in sink, deck, and scrubbing brushes

ANIMAL FIBRES

BRISTLE from various areas of China has excellent durability and water resistance. The softer fibre is used for shoe polishing brushes, grooming brushes and paint brushes, and the stiffer fibre for clothes, hair and toothbrushes.

HORSE HAIR from Uruguay and China is durable and resilient, and is ideal for use in brushes for cleaning smooth floors and windows, and in cobweb brushes.

GOAT HAIR from China is durable, resilient and very soft. It is almost exclusively used in high quality equestrian brushes for bringing the final gloss to horses' coats.

SYNTHETIC MONOFILAMENTS

POLYPROPYLENE is very light and has good wearing properties. However, it is a little "dead" in use and has poor recovery from crushing. It is used in many bass and platform brooms and household brushes. Polypropylene can be used in hot water, but it must not be left in boiling water for more than a few seconds.

PVC has excellent wearing and sweeping properties, but has a tendency to "flick" in use. It can be used in a similar manner to Polypropylene, but should never be used in temperatures greater than 65°C.

NYLON has excellent sweeping and wearing qualities and is used in a considerable number of household brushes, platform brooms, and dairy brushes. Type 6 and type 66 can be used in boiling water and type 612 can be autoclaved at 130°C. Nylon tends to feel softer when used in wet conditions

POLYESTER has excellent wearing and sweeping qualities and is now used in many of our hygiene brooms and brushes, particularly where they have to be autoclaved. Brushes filled in polyester are used in hospitals, food factories, dairies and all areas where hygiene is of primary concern. It can be autoclaved at 134°C.



17	9	5222B	85	ALH7	63	B1606	58	B993RES	52	D93WW	17	FLUE6	90
17	14	5222BK	85	ALH7	85	B1657	77	B994	60	D94	14	FNO1S	22
23	9	5222G	85	ALH8	63	B1659BLK	60	BB1	90	D94	17	FPLST4	23
23	14	5222W	85	ALH8	85	B1686	60	BB2	90	D9RES	51	FPLST5	23
174	8	5341/40	84	ALH8000	22	B1686RES	52	BB3	90	DOD1	35	FSWNB	22
200	8	5361/60	84	ALH8000	63	B1731	77	BB4	90	DOD2	35	FTH48/1	13
234	8	5381/80	84	AMB758	47	B1732	77	BC1	9	DOD3	35	FTH48/1	23
326	37	5P	25	AMB770	47	B1733	77	BC2	9	DOD4	35	FTH54/2W	13
507	11	61C	33	AMB809	47	B1736/12PI		BC5	9	DP1	33	FTH54/2W	23
824	8	70BC	33	AMB849	47	B1745	77	BC6	9	DP1	78	FUL8N	89
1005	73	71B	33	AMB861	47	B1760	77	BC7	9	DP10SET	33	G44	13
		71B 7P										G44 G44	
1005	82		25	AMB896	47	B1783	59	BCL	22	DP10SET	81		35
1044	8	80BC	33	AMB928	47	B1785	69	BK12	73	DP13	57	G55	13
1165	94	8614GB	83	AMD4	48	B1786	77	BK15	73	DP15	81	G55	35
5102	84	8615GB	83	AMD79	47	B1788	27	BK9	73	DP3	33	GL11	39
5104	84	8617GB	83	AMDP3	48	B1796	77	BP2	29	DP3	57	GL11	51
5228	85	8619GB	83	AMNA4	47	B1797	77	BS4	11	DP4SET	33	GL11	58
5229	85	8620GB	83	AMPLH3	47	B1798	77	BW1	29	DP5	81	GL11	78
8613	83	8621GB	83	AMPLSB60		B1802	69	BW1B	29	DP5SET	81	GL30	51
050BC	14	8625GB	43	AMPSC1	48	B2008	20	BW1S	29	DP6	33	GL30	58
1020/4	94	8625GB	83	AMPSC2	48	B2008	31	C33	11	DP9SET	33	GL30	78
1020/4S	94	8P	25	AMSCOOP:		B2009	20	CAS4	68	DS9	14	GL31	51
105B	14	A4	11	AMSCOOP.	4 48	B2009	31	CAS6	68	DS9	17	GL31	58
10P	25	A42	11	AMST5	47	B2021	30	CFB2	43	DW1090	39	GL31	78
110PBV	37	A424	8	AMWLBR1	48	B2022	30	CN1	35	DW1090	56	H1/3	18
1130/12	94	A42G	11	B1022	94	B21/10G	11	COR7	34	DW1090	78	H1/5	18
128/10	93	A42G	25	B1055	17	B21/10G	25	COR9	34	DW582	39	H1/9	18
128/12	93	A444	8	B1055	66	B25	11	CRUST1	95	DW726	39	H12/3	20
128/16	93	A46/10G	25	B1056	66	B25/5	11	CSQ30	69	E31	15	H12/5	20
128P/12	93	A48/1	21	B1057	66	B25M	11	CURB1	12	E31	35	H12/9	20
128P/16	93	A48/1	35	B1058	39	B25MFT	11	D1	16	E35	35	H13/3	20
128P/8	93	A48/1-PAL	21	B1059	39	B4/SH	11	D10	16	E40	15	H13/5	20
12C	87	A48/2	21	B1060	34	B757	59	D10	57	E40	35	H13/9	20
12PY	87	A48/2-PAL	21	B1060	39	B758	59	D10RES	51	E79	15	H14/3	20
14P	25	A54/2	21	B1060	78	B758RES	52	D1BM	16	EA3	15	H14/5	20
14PY	87	A54/2-PAL	21	B1061	34	B759	59	D1BM	29	EA3	35	H17/3	26
157BV	37	A54/2TAP	82	B1061	39	B770	59	D1N	16	EQ18	74	H17/5	26
16C	87	A6	11	B1061	78	B770RES	51	D1P	16	ES1	82	H17/9	26
16KT	86	A60/1	21	B1082	59	B784	94	D3	16	F11	13	H19/3	26
16PY	87	A60/2	21	B1082RES	51	B800	60	D36N	89	F2	13	H19/5	26
204R	33	A60/2-PAL	21	B1083	59	B808RES	52	D38	89	F6	13	H19/9	26
205R	33	A60/2TAP	21	B1083RES	51	B808RES	60	D4	16	FA48/1	13	H3/3	18
20P	13	A72/1	21	B1134	60	B809	60	D4	57	FA48/1	23	H3/3M	18
24CB	13	A72/2	21	B1134RES	52	B809RES	52	D42	89	FA48/1	26	H3/5	18
24P	13	A72/3	21	B1239	37	B849	59	D42	89	FA48/2	13	H3/5M	18
24RSYCRU	69	AD1	75	B1240	58	B849RES	52	D43 D4RES	50	FA48/2	23	H3/9	18
24ZPSYC	69	ADPT2	63	B1241	58	B861	57	D5	16	FA48/2	26	H33/3	26
250M	25	ADR2	75	B1269	36	B861RES	50	D5	57	FA54/2	13	H33/5	26
250P	25	ADR3	75	B1328	36	B862	57	D5RES		FA54/2	23	H4/3	18
									50				
25P	25	AH/CON	63	B1342	58	B862RES	50	D7	57	FA54/2	26	H4/5	18
26P	25	AL51/2	89	B1342	94	B883	60	D7	78	FA60/2	13	H4/9	18
27P	25	AL5LN	89	B1408	27	B883RES	52	D71PRES	52	FA60/2	23	H5/3	19
30BC	33	AL5N3/8	89	B1413	37	B884	56	D71PRES	57	FA60/2	26	H5/5	19
320S	9	ALH/CLIP1	87	B1423RES	51	B884RES	50	D77	59	FGH2	63	H5/9	19
320S	37	ALH/CLIP2		B1423RES	58	B896	60	D77	66	FHS	23	H7/3	19
32RSYCRU		ALH15	63	B1478RES	50	B896RES	52	D78FF	17	FHS48	23	H7/5	19
32ZPSYC	69	ALH16	66	B1478RES		B928	58	D79	59	FHS54	23	H8/3	19
3P	15	ALH17	66	B1529/115	60	B928RES	51	D79	66	FHUGS	26	H8/5	19
5142/40	84	ALH18	66	B1529/75	60	B929	58	D79RES	50	FHUGS48	26	H9/3	19
5144/40	84	ALH19	66	B1529/95	60	B929RES	52	D82	17	FHUGS54	26	H9/5	19
5162/60	84	ALH30	63	B1538	58	B930RES	52	D8M	16	FLUE1/2	90	H9/9	19
5164/60	84	ALH5	39	B1539	39	B930RES	59	D9	16	FLUE3	90	HAN1352	22
5182/80	84	ALH5	63	B1605	59	B976	57	D9	57	FLUE4	90	HAN1352	63
5184/80	84	ALH5	77	B1605	77	B993	59	D93PWW	17	FLUE5	90	HD10	65

HD11	65	MBK2	41	P240/1.1/2	92	PSC2	71	SNOW1	82	T973	61
HD6	64	MBK2	73	P240/1/2	92	PSC2MDX	54	SP26/50PK		T974	61
HD7	65	MBK3	43	P240/2	92	PSC5	71	SP27/10PK	88	T975	61
HDHOOK1	65	MBK3	73	P240/2.1/2	92	PSH100	82	SP40/10PK		T976	61
HH1	29	MBK3	82	P240/3	92	PSH12	72	SPNG/FRM1		TA3	17
HH1	80	MBK4	73	P240/4	92	PSH13	72	SPONGE1		TA8	17
									85		
HH2	29	MBK5	73	P3	12	PSH13MDX		SPONGE2	85	TAPER/CON	
HH2	80	MBK7	73	P360/1	91	PSH14	72	SQ18	27	TH48/1	9
HH3	29	MBK7	82	P360/1.1/2	91	PSH17	72	SQ24	27	TH48/1	21
HH3	80	MBK8	73	P360/1/2	91	PSH2	72	SQ36	27	TH48/1	31
HOLD1	65	MBK8	82	P360/2	91	PSH3	72	SQ6330	70	TH54/2	31
HOLD2	65	MBLD1	71	P360/3	91	PSH6	72	SQ6340	70	TH54/2W	21
IDS	27	MBLD2	71	P360/4	91	PSH7	72	SQ6356	70	TPS1	39
JB5	34	MDS1	54	P5	12	PSH7MDX	54	SQ6375	70	TPS1	89
JBC23	27	MFC210	41	P514/1	92	PSH8	72	SQ6400	69	TT14/10PK	
JC3	34	MFC210	88	P514/1.1/2	92	PSH9	72	SQ6500		W/STOP	43
									69		
JF4	34	MFC-MAXI	41	P514/1/2	92	PSHSB16	82	SQCAS4	68	W/STOP	66
JN21	34	MFC-MAXI	88	P514/2	92	PSHSB17	82	SQCAS6	68	W001	29
JP13	34	MOGG14	43	P514/3	92	PW1	41	SSH2	63	W002	27
JP14	34	MOP1/200	87	P514/4	92	PW10	41	SSH4	63	W002	29
JS8	34	MOP1/300	87	P6	12	PW11	41	ST1	36	W003	31
JS8	37	MOP10/130	86	P7	12	PW12	41	ST10	56	W004	31
JUG1	39	MOP2/200	87	P700/1	93	PW14	41	ST11	17	W005	31
JUG1	70	MOP2/300	87	P700/1.1/2	93	PW2	41	ST11	56	W006	31
KB1C	14										
		MOP3/200	86	P700/1/2	93	PW3	41	ST12	17	W007	27
KC10	88	MOP5/250	86	P700/2	93	PW4	41	ST12	56	W007	29
KC40	88	MOP9/200	86	P700/3	93	PW5	41	ST14	56	W008	31
KC5	88	MSC1	71	P700/4	93	PW6	41	ST14RES	50	W009	31
KEN/CLIP	87	MSC10	94	PA1	39	PW7	41	ST2	36	W010	31
KM25	29	MSC2	71	PA2	39	PW8	41	ST5	36	W011	31
KM25	37	MSC22	71	PA2	51	PW9	41	ST5	56	W012	31
KMOP11/340		MSC3	71	PA2	58	PY10F	12	ST5RES	50	W013	31
KMOP4/450		MSC3/38	71	PA2	78	PY24	8	ST6	27	W014	31
KMOP6/450		MSC4	71	PADL10	70	RAIL500	65	ST7	56	W015	31
KMOP7/560		N1	38	PADL11	70	RAIL900	65	ST7RES	50	W04010	41
KMOP8/250	86	N11	38	PADL3	70	RH8C	14	ST8	36	W101	30
LA1	36	N5	38	PADL4	70	RHB25C	14	ST8	56	W102	30
LA1P	36	N6	38	PB/12	35	RHB28C	14	ST8	78	W103	25
LA1P	37	N6Y	38	PB/7	34	RM15	74	ST9	56	W103	30
LA2M	36	N7	38	PD110	74	RM16	74	ST9RES	50	W104	30
LA2M	37	N8	38	PL20	38	RM20	74	STH3	22	W105	30
LABEL48/24		NA1	37	PL21	38	RM4	74	STH3	35	W106	30
				PLH3	63		74				
LABEL76/64		NA10	38			RM7		STH5	22	W107	30
LHB100	93	NA10	39	PLHGRP6	63	RMD1	74	STO	36	W108	29
LHB150	93	NA10	56	PLSB30	67	RMD6	74	STYS1	23	W109	30
LHB5	81	NA10	78	PLSB40	67	RML	74	STYS2	23	W110	30
LHS100	93	NA11	38	PLSB50	67	S/10	14	STYS3	26	W111	30
LHS150	93	NA4	38	PLSB60	67	S104	8	SWO	36	W112	30
LHSH	82	NA4	56	PLSB70	67	SCB2	36	T294	89	W113	27
LP2	81	NA4RES	50	PLSQ45	69	SCIS/MOP1	84	T477	36	W113	29
LP3	43	NA8	38	PLSQ45	77	SCOOP1	70	T477	90	W114	27
LP3	81	NA9		PLSQ55	69	SCOOP2	70	T548		W114	29
			38						89		
LP5	81	NB8	38	PLSQ55	77	SCOOP2MDX		T664	39	W115	29
LP6	81	NEVC	17	PLST4	13	SCOOP3	70	T664	89	W116	22
LP7	81	NO1S	22	PLST4	23	SCOOP4	70	T831	61	W116	31
LWR	13	NWC100	88	PLST5	23	SCOOP4MDX	54	T832	61	W118	31
M2	9	NWC120	88	PLST6	23	SCOOP7	70	T833	61	W119	31
M2	14	OYSTER1	95	PRINT/PSK		SE3	11	T834	61	WB2	17
M24	8	P12	12	PRINT/WSK		SGST2	94	T835	61	WH/CLIP4	87
										WH/CON	
MB1	34	P124	8	PROHEAD	43	SH2	37	T836	61		63
MBK11	73	P17	26	PROWBME		SHD7	37	T942	62	WH/CON	66
MBK12	73	P2	12	PROWBTRIF		SIM3	89	T945	62	WLBR1	65
MBK14	41	P21	26	PSC1	71	SK1	36	T971	61	WLBR1	78
	73	P240/1	92	PSC1MDX	54	SNB1	22	T972	61	WS2	94

WS3

WS4

WS5

WS6S

WS6S

YD10

YZ111

YZ118

YZ124

YZ511

YZ711

YZT12

YZT13

ZP/FRM

YZBW13

WS6SRES

94

94

94

58

94

51

88

15

19

19

15

15

12

12

12

Abrasive Floor Pads Abrasive Pads & Sponge Anti-Microbial 47 8	85 88 48
Bag Hoop 29 8 Banister Brushes 9, 27, 29, 33 Bass Brooms 8, 11 8 Boot Removers 8 Bootwipers 61, 89 Bottle Brushes 61, 89 Boxed to Go! 8 Branding Information 8 Brooms with Handle Sockets 13 8 Brooms with Threaded Stocks 8-15 8 Brush Hangers 64 8 Bucket Brushes 16, 36 8 Buckets 41, 43, 73 8 Bulk Tank Brushes 47, 50, 59 8	1-34 25 29 29 1-90 8-9 98 30 31 4 65 5 57
Chemical Resistance Data Clothes Brushes Cloths Cobweb Brushes Please enq 41 &	37
Display Stand - Garden Display Stand - Hygiene Dustbins	-94 28 98 74 -85 35 33
Environmental Policy	6
Filling Material Information Flat Mops Flat Top Brooms 8, 11-13, 25-26 8 Floor Pads Floor Scrapers Flue Brushes FSC Certification	99 84 831 88 71 90 6
Glazing Brushes 39, 51, 58 & Grout Scrub 17 &	
Handle Fitting 13 & Handles - Aluminium 22 & Handles - Connectors & Sockets 13, 22-23 & Handles - Fibreglass Handles - Metal 22, 31 & Handles - One Piece Plastic Handles - Stainless Steel	k 63 k 63 63
Product Key	

Handles - Telescopic Handles - Wooden Threade Handles - Wooden Threade Handles - Wooden Handles & Accessories Handles & Accessories Handles & Accessories Hearth Equipment Household Hygiene - Anti-Microbial Hygiene - Brooms Hygiene - Glazing Brushes Hygiene - Hand Brushes Hygiene - Premier Catering Hygiene - Machine Brushes Hygiene - Hand Scrubs Hygiene - Hand Scrubs Hygiene - Hand Scrubs Hygiene - Sink Brushes Hygiene - Sink Brushes Hygiene Demonstration Equ Hygiene Information	51-52	22 & 21 & 21-23 & 64-33 & 32-47-8 58-50 &	30 66 21 22 26 65 37 39 48 60 57 58 57 78
Index - Quick Guide Index - Full Index - Codes Industrial Brooms & Brushe	s	1 100 10-	
Janitorial Mop Bucket Jug			73 70
Kentucky Mops Kitchen Kneeling Mat		29 &	86 39 37
Labelling Lavatory Brushes Litter Pickers Lobby Dustpans & Brushes		43 &	98 38 81 81
Metal Sockets & Clamps Metal Detectable Items Monofilament Properties Mops	Please 84	enqu & 86-	
Nail Brushes 3	88, 47, 50,	56 &	78
Oyster Clamp			95
Paddles Paint Brushes Paper Hanger Brushes Pastry Brushes Plastic Sockets Platform Brooms Premier Catering Printling, Branding & Labellin Pro-Window Cleaning Professional Hygiene Pure Bristle Brushes		13 &	94 78 23 31 78 98 41 74

Radiator Brush Rio Resin Set Information Resin Set	36 & 90 9 49 50-52
Salmon Hygiene Technology Sash Tools Scavenger Brooms Scissor Mop Scoops Scrapers Scrubbing Brushes	44-45 93 11-12 & 25 84 70 71 36 & 50
Shoe Brushes Shoe Covers Shoe Cover Dispenser Shovels Sink Plungers Snow Scoops Sponge Mops	37 75 75 72 & 82 38 82 85
Sponges Squeegees Standard Mops Stays Stripping Knives Storage & Containers	88 47, 67-70 & 77 86-87 23 & 26 94 74
Tar Spreading Brushes Tea Towels Tidy Tray Tile Brushes Toilet Brushes Transport Tube Brushes Twisted-in-Wire Brushes	17 88 74 56 38 42 61-62 & 89-90 61 & 89-90
Ultimate Hygiene - Anti-Micro Upholstery Brushes	bial 47-48 36
Venetian Blind Duster	36
Wall Brushes Warning Signs Waterflow System Window Brushes Window Squeegees Wire Brooms & Brushes Woodlands	94 83 66 17 41 94 28-31
Yard Brooms 11-12 & 2	25 & 30-31 & 59
Z U Products	95

Product Key



Pack quantity cannot be split



Pack quantity available as split packs





Waterflow item





Very Stiff



Stiff



Trim length

Socket drilled for BOTH wooden handle with nail or threaded handle



Colour Options

















Medium crimped

Abrasive

wooden handles



Soft crimped

Broom socket

Heat tolerance

drilled for threaded handles only

Terms & Conditions



All orders are accepted on the terms, conditions and exclusions herein contained. These terms, conditions and exclusions (either taken as a whole or in any part or individually) shall not be varied, nor shall their application to any order be excluded or limited in any way whatsoever, except as agreed by us in writing; all special requirements with regard to marking, labelling, packing etc.,must be agreed in writing. Any additional work will be charged at our standard rates unless such work is included in a Contract.

Prices quoted are those ruling at the date of the quotation or as shown in our list, and shall be subject to revision if increases in cost or other circumstances arise. Prices quoted exclude Value Added Tax, Sales Taxes or any similar Taxes which will be charged additionally to the

3. TERMS OF DELIVERY

a) Dates for delivery are given in good faith and as accurately as possible, but are not guaranteed. We shall be under no liability whatsoever for any delay in performance of any order by reason or in consequence of force majeure or of any matter or thing outside our control including but not limited to labour troubles, civil commotion, natural catastrophe, government restriction, shortage of supplies or customer's instructions or lack of instrucgovernment restriction, shortage of supplies or customer's instructions or lack of instructions. We shall have the right to despatch any portion of the goods ordered and we shall be entitled to invoice the customer for such despatched portion so that for the purposes of payment each portion shall be deemed to be a separate contract and may be invoiced separately. Should the customer notify us of inability to receive or store goods ordered or should the customer fail to give us adequate delivery instructions when required or fail to collect goods sold ex-works, the goods will be stored at the customer's risk and expense. We shall be entitled to manufacture the goods immediately upon receipt of the customer's written order or as soon thereafter as we think fit, irrespective of any date which may be specified for delivery thereof. specified for delivery thereof.

b) Where the Buyer orders goods for delivery by installments each delivery shall constitute a separate contract and the Buyer shall not be entitled to refuse to take delivery of or refuse to pay for any installments on the grounds that a previous installment was defective or

c) Unless we otherwise agree in writing our carriage paid terms are as set out below. The cost of delivery of goods below the minimum value will be charged to the Buyer at our discretion.

d) We may deliver against any order an excess or deficiency of up to 10% of the quantity ordered, provided that where there is an excess or deficiency on delivery the amount charged for the goods delivered will be adjusted proportionately.

4. PROPERTY IN GOODS

Until the H.B.C. has been paid in full by the Buyer for goods supplied by the H.B.C., such goods remain the property of the H.B.C. although the risk therein passes to the Buyer at the time of delivery (subject to the provisions in Clause 3(a) herein relating to storage of the time of delivery (subject to the provisions in Clause 3(a) herein relating to storage of goods at the customer's expense), and the Buyer shall indemnify the H.B.C. against any loss or deterioration thereof or damage thereto, and without prejudice to any other remedies, the H.B.C. may repossess those goods at any time from the Buyer, and for that purpose the H.B.C., its agents and servants may enter any premises upon which the goods are situated. In the event of the Buyer reselling any goods delivered to it by H.B.C. before H.B.C. has been paid in full, such part of the proceeds of such resale as are equivalent to the price at which the goods were invoiced to the Buyer by H.B.C. shall be held by the Buyer on trust for H.B.C. and shall be placed by the Buyer in a separate account so as to be identifiable as being in the hereficial ownership of H.B.C. further the fact that property in the goods remains H.B.C.'s beneficial ownership of H.B.C. Further, the fact that property in the goods remains H.B.C.'s until the price has been paid in full shall not prevent H.B.C. from maintaining an action against the Buyer for the price of the goods

5. RETURNABLE CONTAINERS AND PALLETS

Returnable Containers and pallets remain our property at all times and may be charged on invoice. If so charged the Buyer will be given full credit if such returnable containers or pallets are promptly returned (consigned carriage paid) to us at the point from which they were originally despatched in good condition to our satisfaction.

6. NOTIFICATION OF LOSS OF, OR DAMAGE TO, OR NON DELIVERY OF GOODS

6. NOTIFICATION OF LOSS OF, OR DAMAGE TO, OR NON DELIVERY OF GOODS Claims for damage to or loss of goods in transit must be submitted in writing both to us and to the carrier (if appropriate) as follows:-a) In the case of non-delivery of the whole of any consignment or of any separate packing forming part of consignment - within 3 days of the date of despatch shown on the invoice or advice note (whichever is the earlier).

b) In the case of damage to or partial loss of the goods or shortages from packages - within three days of delivery. The goods received must have been signed for as damaged or

Failing which we shall not be liable in respect of any such claim and the goods shall be deemed to have been delivered in accordance with the contract complete and in a satisfactory condition. In no case shall H.B.C.'s liability in respect of claims for damage to or loss of goods in transit extend beyond an obligation either to repair or replace free of charge any such goods or (the election to be H.B.C.'s alone) to pay to the Buyer up to the invoice price of the goods in respect of which a claim is made, and in neither event shall H.B.C. be liable for consequential loss, damage or expense howsoever arising.

7. BAR CODING

While every care will be taken to Bar Code goods as requested, no responsibility whatsoever is accepted for faulty coding. Customers are particularly warned against the use of self-peeler labels which can easily be swapped while goods are on display. We will not be held liable for any problems arising from Bar Coding when labels of this type are used.

8. PAYMENI
Unless otherwise agreed in writing, payment shall be made at the net invoice value, without any deductions, by the last day of the month following the month in which delivery was made, or in which (if ex-works), the goods were ready for collection. Failure by the Buyer to make punctual payment shall entitle us to suspend any outstanding deliveries, or to cancel the contract so far as it remains unperformed at our option, and without prejudice to our rights to claim for the price of goods already delivered or manufactured at the date of cancellation, and for loss or injury occasioned thereby.

9. WARRANTY AND EXCLUSIONS

and H.B.C.'s duty to the Buyer relating to the Buyer will be of normal industrial quality and H.B.C.'s duty to the Buyer relating to the quality of the goods delivered shall be limited wholly and exclusively to the duty to deliver goods of the aforesaid quality. Save as aforesaid any warranty or conditions, statutory or otherwise express or implied, whether oral or written as to quality of the goods or their fitness for a particular purpose are excluded and

b) The application and use of the goods is the absolute responsibility of the Buyer. Any technical and other advice, information and data provided by us, whether verbally, in writing or by way of trials or tests, is given without warranty and the Buyer shall be deemed to have carried out his own tests to ensure the suitability of the goods for his intended purposes and applications and the Buyer shall be deemed to have placed no reliance on any advice, information or data provided by us.

c) The Buyer must give us immediate written notice containing full particulars of any claim that the goods are not of the proper quality to enable us to investigate the complaint before the remainder of the consignment of goods is used or returned to us. We shall not be liable for any defects in quality in the absence of such immediate notification and, in any event, our liability hereunder or in the case of any other breach of contract or misrepresentation shall be strictly limited to the invoice price of the goods proved by the Buyer to be of defective quality or to be such as to cause us to have been in breach of contract or guilty of misrepresentation and shall not extend to consequential loss of any kind howsoever arising.

10. CONTRACTS NOT ASSIGNABLE

This Contract is between us and the Buyer as principals, and is not assignable without our written consent.

11. INDEMNITY AGAINST INFRINGEMENT OF PATENTS AND RIGHTS

The Buyer shall indemnify us against all damages, penalties, costs and expenses to which we may be liable as a result of work done in accordance with the Buyer's specification which involves the infringement of any letters patent, registered design, intellectual property rights, proprietary process or otherwise.

12. GOVERNING LAW

This contract shall be governed by and constructed in accordance with the laws of England and the Buyer agrees to submit to the jurisdiction of the English Courts.

We do not accept any liability for consequential loss.

14. TELEPHONE CONTACT

From time to time customers may be telephoned by our sales office. If you would prefer not to be contacted by telephone we would request that you notify us of this in writing.

The following additional points should be noted:

- Carriage paid orders comprise any items listed as standard in this catalogue. Orders containing both standard and non-standard items may result in a split delivery and either portion, if under the carriage-paid terms, may be liable to an extra carriage charge.
- Customers requiring deliveries to be booked in at specific times will be invoiced the carrier's booking-in fee.
- Uninspected consignments should be signed for as not examined. In the event of goods being damaged or there being shortages, the carrier should be notified immediately, and ur office informed within 3 days, or any claims may be disallowed.

 Ownership of goods shall not pass to the customer until full payment has been made. In the case of non-payment we shall be entitled to repossess the goods, or any other mode careful by surgest tabelling a capacitated the surgest tabelling as a particular to the surgest and of scale.
- goods supplied by ourselves totalling an equivalent value, or proceeds of sale. Because of a number of sole agencies abroad, customers are advised to contact the
- Company prior to exporting any of the items listed.

 The Company does not contribute towards catalogues or other publicity material
- belonging to third parties. This brochure plus equestrian and hygiene brochures are freely available in reasonable quantities. Most photographs in these publications are available on CD (Mac or PC format) for use in customer sales and publicity material, provided the pictures so used relate to products sold by the HBC Ltd.

CARRIAGE PAID TERMS 2012

NETT MONTHLY ACCOUNT - Orders for standard catalogue items are sent carriage paid to mainland UK on minimum value of £275 NETT, Northern Ireland on minimum value of £700 NETT and to Southern Ireland £800/€950

- UK mainland orders under £50 will have a charge of £20 carriage added
- UK mainland orders between £50 and £274 will have a charge
- of £15 carriage added
 Orders over £275 = FREE carriage
- All prices shown are exclusive of VAT
- All products with pack sizes noted in BLACK CANNOT BE SPLIT. Products with pack sizes noted in GREEN are available as split packs

 Please use FULL Product Code when ordering

- Goods cannot be returned, except by prior arrangement
- We reserve the right to change prices and specifications without notice
- Please note that the Company will not be sending out any goods during the following holidays:

1st-2nd January: New Year 2012 6th April: Good Friday 9th April: Easter Monday 7th May: May Day

4th June: Spring Bank Holiday

5th June: Diamond Jubilee 27th August: August Bank Holiday 21st - 31st Dec: Christmas 2012 1st January: New Year 2013





Distribution worldwide

HBC USA

- t+1 410-325-7000
- f +1 410-325-6477
- e info@hillbrushinc.com

www.hillbrushinc.com

HBC UK HEADQUARTERS

- t +44 (0)17 4786 0494
- f +44 (0)17 4786 0137
- e info@hillbrush.com

www.hillbrush.com

HBC UK SALES

- t +44 (0)17 4786 1766
- f +44 (0)17 4786 1767 Woodlands Road, Mere Wiltshire BA12 6BS, England
- e sales@hillbrush.com

HBC EASTERN EUROPE

- t+48 41 332 2190
- f +48 41 346 1221
- e info@hillbrush-ee.com

www.hillbrush-ee.com



VISIT OUR WEBSITE

www.hillbrush.com